

1 4	1RO	RΔ	$T \cap$	RV	USE	$\cap NII$	V.
$L_{r}$	100	$\Lambda$	$I \cup$	$\cap$ $I$	USL	UIVL	. I .

JOB NUMBER:	DATE RECEIVED:				
DATE ANALYSED:	NAME OF ANALYST:				
Is the sample suitable for analysis?	Yes No				
If the sample is not appropriate for testing advise the client and seek further					

# **Asbestos Bulk Sample Chain of Custody**

#### **SAMPLING DETAILS:**

All samples must arrive in a sealed container/double zip lock bag.

A sample size of **5cm diameter** <u>or</u> for friable materials, the size of a thumb is sufficient.

Please provide a purchase order number. If you do not, we will use the 1st line of the sample address.

DATE:			PURCHASE ORDER NO.						
SENDER /	SAMPLERS	NAME:	<u>.</u>						
PHONE NO	<b>D</b> .		EMAIL ADDRESS:	EMAIL ADDRESS:					
COMPANY NAME:									
POSTAL A	DDRESS:								
SAMPLE A	ADDRESS:								
STANDARD	TEST			CI EADANCE TEST				STO.	
STANDARD TEST (Up to 48 hours turnaround time)				CLEARANCE TEST (Processed with priority)  STQ (4-hour turnaround time if sam receipt is before 12pm, extra charge apply)					
While the	laboratory v	will endeavour to meet	the a	above, at busy times or	r fo	or several samples	turnaro	und time may	vary
By submit		amples, you acknowled	dge t	hat you agree with Eu	roi	fins Environmental	Testing	NZ Limited, t	erms and
LAB SAMPLE NO.	CLIENT SAMPLE NO.	SAMPLE LOCATION Which room, building, or extern		nal area		ELEMENT What you are sampling from (e.g., floor, wall)		e product you pling is (e.g.,	LABORATORY USE ONLY FIBRES DETECTED:

Author: A. Halkyard MD 15 Issue 18	July 2024	Page 1 of 2
------------------------------------	-----------	-------------



### Focus

#### LABORATORY USE ONLY:

JOB NUMBER:	D/	TE RECEIV	/ED:		
DATE ANALYSED:		ME OF ANA	ALYST:		
Is the sample suitable for analysis?		Yes		No	
If the sample is not appropriate for to	otin	a advisa tha	cliont and	l sook fuu	thor
If the sample is not appropriate for testing advise the client and seek further					uiei
advice on proceeding					

LAB SAMPLE NO.	CLIENT SAMPLE NO.	SAMPLE LOCATION	ELEMENT	PRODUCT	LABORATORY USE ONLY FIBRES DETECTED:

## Laboratory Use Only

Internal Laboratory S	ample Transfer		
Lab sample No/s			
Transferred by:		Auckland	
	(Staff name)	Tauranga	
	Date:		
Received by:		Auckland	
	(Staff name)	Tauranga	
	Date:		

Author: A. Halkyard	MD 15	Issue 18	July 2024	Page 2 of 2
---------------------	-------	----------	-----------	-------------